

Bảng thông số sản phẩm

Thông số kỹ thuật



Enclosure, Resi9 MP, flush mounting, 1 row of 4 modules, IP40, white door, 1 earth + 1 neutral terminal blocks

MIP22104

Main

Range	Resi9
Product name	Resi9 MP
Product or component type	Enclosure
Enclosure type	Modular enclosure
Nb of 18 mm modules per row	4
Nb of horizontal rows	1
Type of door	Plain
Width	126 mm wall: 150 mm outside:
Height	228 mm wall: 252 mm outside:
Depth	18 mm outside: 80 mm wall: 98 mm total:

Complementary

Enclosure mounting	Flush
9 mm pitches	8
Total number of 18 mm modules	4
[In] rated current	50 A
Type of rail	35 mm asymmetrical rail
Mounting plate description	Without mounting plate
Cable entry	Pre-cutted holes
Terminal block function	Earth / neutral
Number of terminal blocks	1 earth (screwed) with 4 outgoing 1 neutral (screwed) with 4 outgoing
Distribution block outgoing	1 x 16 mm ² for earth 1 x 16 mm ² for neutral 1 x 6 mm ² for earth 1 x 6 mm ² for neutral 2 x 10 mm ² for earth 2 x 10 mm ² for neutral
Enclosure material	Back part: technoplastic Door: technoplastic Front face: technoplastic
Internal depth	76 mm

Colour	Door: white (RAL 9003) Front face: white (RAL 9003)
---------------	--

Market segment	Residential Small commercial
-----------------------	---------------------------------

Environment

Standards	IEC 61439-1 IEC 61439-3 IEC 60670-1 IEC 60670-24
------------------	---

Quality labels	IMQ
-----------------------	-----

Fire resistance	Door: 650 °C Back part: 650 °C Front face: 650 °C
------------------------	---

IP degree of protection	IP40
--------------------------------	------

IK degree of protection	IK07
--------------------------------	------

Ambient air temperature for operation	-25...60 °C
--	-------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Weight	496.0 g
-------------------------	---------

Package 1 Height	9.5 cm
-------------------------	--------

Package 1 Width	15.0 cm
------------------------	---------

Package 1 Length	25.0 cm
-------------------------	---------

Unit Type of Package 2	BB1
-------------------------------	-----

Number of Units in Package 2	15
-------------------------------------	----

Package 2 Weight	8.076 kg
-------------------------	----------

Package 2 Height	53.0 cm
-------------------------	---------

Package 2 Width	31.0 cm
------------------------	---------

Package 2 Length	41.0 cm
-------------------------	---------

Unit Type of Package 3	P12
-------------------------------	-----

Number of Units in Package 3	240
-------------------------------------	-----

Package 3 Weight	141.208 kg
-------------------------	------------

Package 3 Height	118.5 cm
-------------------------	----------

Package 3 Width	80.0 cm
------------------------	---------

Package 3 Length	120.0 cm
-------------------------	----------

Offer Sustainability

Sustainable offer status	Green Premium product
---------------------------------	-----------------------

REACH Regulation	REACH Declaration
-------------------------	-----------------------------------

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
--------------------------	---

Mercury free	Yes
---------------------	-----

RoHS exemption information	Yes
-----------------------------------	---------------------

China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
------------------------------	---

Environmental Disclosure	Product Environmental Profile
---------------------------------	---

Halogen content performance Halogen free product

Contractual warranty

Warranty 18 months