

# Bảng thông số sản phẩm

Thông số kỹ thuật



Enclosure, Resi9 MP, flush mounting, 1 row of 12 modules, IP40, translucid door, 1 earth + 1 neutral terminal blocks

MIP22112T

## Main

|                             |   |
|-----------------------------|---|
| Range                       | Resi9   |
| Product name                | Resi9 MP                                      |
| Product or component type   | Enclosure                                     |
| Enclosure type              | Modular enclosure                             |
| Nb of 18 mm modules per row | 12  |
| Nb of horizontal rows       | 1   |
| Type of door                | Translucid                                    |
| Width                       | 270 mm wall:<br>294 mm outside:               |
| Height                      | 228 mm wall:<br>252 mm outside:               |
| Depth                       | 18 mm outside:<br>80 mm wall:<br>98 mm total: |

## Complementary

|                               |  |
|-------------------------------|--|
| Enclosure mounting            | Flush  |
| 9 mm pitches                  | 24   |
| Total number of 18 mm modules | 12   |
| [In] rated current            | 63 A   |
| Type of rail                  | 35 mm asymmetrical rail  |
| Mounting plate description    | Without mounting plate   |
| Cable entry                   | Pre-cutted holes   |
| Terminal block function       | Earth / neutral  |
| Number of terminal blocks     | 1 earth (screwed) with 8 outgoing<br>1 neutral (screwed) with 8 outgoing   |
| Distribution block outgoing   | 1 x 16 mm <sup>2</sup> for earth<br>1 x 16 mm <sup>2</sup> for neutral<br>3 x 6 mm <sup>2</sup> for earth<br>3 x 6 mm <sup>2</sup> for neutral<br>4 x 10 mm <sup>2</sup> for earth<br>4 x 10 mm <sup>2</sup> for neutral |
| Enclosure material            | Back part: technoplastic<br>Door: technoplastic<br>Front face: technoplastic   |
| Internal depth                | 76 mm  |

|  |   |
|--|---|
| <b>Colour</b>                                | Front face: white (RAL 9003)<br>Door: translucent   |
| <b>Market segment</b>                        | Residential<br>Small commercial   |
| <b>Environment</b>                           |   |
| <b>Standards</b>                             | IEC 61439-1<br>IEC 61439-3<br>IEC 60670-1<br>IEC 60670-24   |
| <b>Quality labels</b>                        | IMQ   |
| <b>Fire resistance</b>                       | Door: 650 °C<br>Back part: 650 °C<br>Front face: 650 °C   |
| <b>IP degree of protection</b>               | IP40  |
| <b>IK degree of protection</b>               | IK07  |
| <b>Ambient air temperature for operation</b> | -25...60 °C   |
| <b>Packing Units</b>                         |   |
| <b>Unit Type of Package 1</b>                | PCE   |
| <b>Number of Units in Package 1</b>          | 1   |
| <b>Package 1 Weight</b>                      | 864.0 g   |
| <b>Package 1 Height</b>                      | 9.8 cm  |
| <b>Package 1 Width</b>                       | 29.4 cm   |
| <b>Package 1 Length</b>                      | 25.2 cm   |
| <b>Unit Type of Package 2</b>                | P12   |
| <b>Number of Units in Package 2</b>          | 128   |
| <b>Package 2 Weight</b>                      | 136.8 kg  |
| <b>Package 2 Height</b>                      | 120.0 cm  |
| <b>Package 2 Width</b>                       | 80.0 cm   |
| <b>Package 2 Length</b>                      | 120.0 cm  |
| <b>Unit Type of Package 3</b>                | BB1   |
| <b>Number of Units in Package 3</b>          | 8   |
| <b>Package 3 Weight</b>                      | 7.8 kg  |
| <b>Package 3 Height</b>                      | 52.0 cm   |
| <b>Package 3 Width</b>                       | 30.0 cm   |
| <b>Package 3 Length</b>                      | 40.0 cm   |
| <b>Offer Sustainability</b>                  |   |
| <b>Sustainable offer status</b>              | Green Premium product   |
| <b>REACH Regulation</b>                      | <a href="#">REACH Declaration</a>   |
| <b>EU RoHS Directive</b>                     | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>                     |
| <b>Mercury free</b>                          | Yes   |
| <b>RoHS exemption information</b>            | <a href="#">Yes</a>   |
| <b>China RoHS Regulation</b>                 | <a href="#">China RoHS declaration</a><br>Product out of China RoHS scope. Substance declaration for your information |
| <b>Environmental Disclosure</b>              | <a href="#">Product Environmental Profile</a>   |

---

Halogen content performance      Halogen free product

**Contractual warranty**

---

Warranty      18 months